

TracPipe® CounterStrike®

Flexible Gas Piping by OmegaFlex®

PRODUCT CATALOG Flexible Gas Piping Systems for Commercial, Industrial and Residential



Table of Contents

CounterStrike® Introduction	3
Flexible Gas Tubing	4
AutoSnap®	5
AutoSnap® Tee Fittings & AutoFlare® Fittings and Accessories	6
AutoFlare® Tee Fittings.....	7
CounterStrike® Accessories	9
TracPipe® PS II Underground Gas Piping	11
Warranty.....	12

TracPipe®  **CounterStrike®**
Flexible Gas Piping by OmegaFlex®

Improve your bottom line by taking advantage of TracPipe® CounterStrike® industry-leading flow capacities.

CONTACT INFORMATION

CounterStrike®

1.800.671.8622

sales@tracpipe.com

www.tracpipe.com

Four Decades of Performance

Since 1975, OmegaFlex® has led the piping industry with its high-quality construction and commitment to exceed the industry's product and safety standards.

- With over 200 patents and counting, the Company's philosophy is not to wait for mandates, but to lead the industry by introducing the best products.
- In 1999, OmegaFlex was the first CSST manufacturer to mandate the bonding of its yellow-jacketed TracPipe® in its installation guide.
- In 2004, the Company developed CounterStrike®, which contains all of the innovative features of TracPipe® plus a built-in solution to lightning damage that eliminates the need for additional bonding.
- In 2011, OmegaFlex became the only CSST manufacturer to transition from its highly successful yellow CSST product "TracPipe®" and now only sells its innovative black-jacket product "CounterStrike®" throughout the US market.
- In 2012, OmegaFlex is a sponsor of NSF-UC San Diego's earthquake testing program. The flexibility of CounterStrike® withstood the worst seismic activity simulated without any failures, leaks or damage. Meanwhile black iron pipe, which was installed next to CounterStrike®, fractured in the same test.

- In 2014, OmegaFlex introduced the AutoSnap® fitting for CounterStrike® that is so easy to use you can even keep your gloves on, just twist, snap, tighten and you're done!

CounterStrike® is also :

- Listed by both CSA and ICC Evaluation-Services-PMG 1058 and evaluated by the International Association of Plumbing and Mechanical Officials (IAPMO) ER 0227 for lightning resistance without additional bonding (unless required by local codes).
- Compliant with fuel gas codes in all 50 states.
- Compliant with all model codes, including all the National Fuel Gas Code (NFPA), International Fuel Gas Code and International Residential Code (ICC), and the Uniform Plumbing Code (IAPMO).
- Listed to the national consensus standard for CSST (ANSI LC 1-2016) including all requirements for arc-resistant conductive jackets.
- Underwriters Laboratories (UL) listed for 1, 2 and 4 hour through penetration fire stop systems without removal of the conductive jacket.




Flexible Gas Piping CSST

The Lightning Problem is Solved!

After ten years, over 125 million feet have been installed in homes across America, making CounterStrike® CSST the **only** field-proven product in its class!

- CounterStrike® has been shown to be up to 400 times more resistant to the damaging effects of electrical arcing energy than yellow CSST.
- Uses the NEW AutoSnap® fittings that do not require disassembly/reassembly!
- The most complete range of CSST sizes (3/8" - 2") available.
- There are no additional bonding requirements for CounterStrike® imposed by the manufacturer's installation instructions.
- Lays straighter and pulls easier, dramatically decreasing installation times (and saving you time and money in the process).
- Unlike competitive brands, CounterStrike® is non-annealed making it more crush resistant, and easier to cut.



- Superior lightning protection compared to bonded yellow CSST!

CounterStrike® Flexible Gas Tubing



Corrugated Stainless Steel 300 Series with Black Conductive Jacket

Plywood Reels for Packaging

Description	Part Number	Size	Reel Length	Lb/Reel
CounterStrike 3/8"	FGP-CS-375-250	3/8"	250 ft/reel	37
CounterStrike 3/8"	FGP-CS-375-100	3/8"	100 ft/reel	17
CounterStrike 1/2"	FGP-CS-500-500	1/2"	500 ft/reel	98
CounterStrike 1/2"	FGP-CS-500-250	1/2"	250 ft/reel	52
CounterStrike 1/2"	FGP-CS-500-100	1/2"	100 ft/reel	24
CounterStrike 1/2"	FGP-CS-500-50	1/2"	50 ft/reel	14
CounterStrike 3/4"	FGP-CS-750-250	3/4"	250 ft/reel	70
CounterStrike 3/4"	FGP-CS-750-100	3/4"	100 ft/reel	31
CounterStrike 3/4"	FGP-CS-750-50	3/4"	50 ft/reel	18
CounterStrike 1"	FGP-CS-100-180	1"	180 ft/reel	70
CounterStrike 1"	FGP-CS-100-100	1"	100 ft/reel	40
CounterStrike 1"	FGP-CS-100-50	1"	50 ft/reel	22
CounterStrike 1 1/4"	FGP-CS-125-250	1 1/4"	250 ft/reel	129
CounterStrike 1 1/4"	FGP-CS-125-150	1 1/4"	150 ft/reel	78
CounterStrike 1 1/2"	FGP-CS-150-250	1 1/2"	250 ft/reel	182
CounterStrike 1 1/2"	FGP-CS-150-150	1 1/2"	150 ft/reel	103
CounterStrike 2"	FGP-CS-200-150	2"	150 ft/reel	137

Note: Other lengths available. Consult factory for price and lead time.

Lightning Fast Connections from OmegaFlex®








The new patent pending **AutoSnap®** fittings are the only CSST fittings that do not require any disassembly or reassembly of the fitting to the CounterStrike® CSST.

This greatly reduces installation difficulty and time as there are no small loose gaskets, O-rings, or retainer rings to contend with in a dark and/or cold work place environment!




AutoSnap is CSA listed and features a metal to metal cup seal without any exposed stainless steel pipe behind the new fitting.

Reduced torque value and reusability all make for an optimum installer friendly fitting!

AutoSnap® Fittings

		Description	Part Number	Size	Pkg. Qty	Lb.		
Straight Fitting Brass		AutoSnap Straight 3/8"	FGP-SFST-375N	3/8"-3/8" NPT	24/box	.2		
		AutoSnap 3/8" (1/2" NPT)	FGP-SFST-375	3/8"	24/box	.3		
		AutoSnap 1/2"	FGP-SFST-500	1/2"	24/box	.4		
		AutoSnap 3/4"	FGP-SFST-750	3/4"	16/box	.5		
		AutoSnap 1"	FGP-SFST-1000	1"	16/box	.7		
		Fitting Sizes 1/4", 1/2" and 2" are sold individually	}	AutoSnap 1 1/4"	FGP-SFST-1250	1 1/4"	6/box	.9
				AutoSnap 1 1/2"	FGP-SFST-1500	1 1/2"	4/box	1.3
AutoSnap 2"	FGP-SFST-2000			2"	4/box	2.2		
Split Rings Brass		Spare Snap Rings	FGP-SRING-375	3/8"	5/pack	.04		
		Spare Snap Rings	FGP-SRING-500	1/2"	5/pack	.06		
		Spare Snap Rings	FGP-SRING-750	3/4"	5/pack	.08		
		Spare Snap Rings	FGP-SRING-1000	1"	5/pack	.17		
		Spare Snap Rings	FGP-SRING-1250	1 1/4"	2/pack	.8		
		Spare Snap Rings	FGP-SRING-1500	1 1/2"	2/pack	1.4		
		Spare Snap Rings	FGP-SRING-2000	2"	2/pack	1.8		
		AutoSnap Reducing 1/2"	FGP-SRST500-750	1/2"-3/4" NPT	24/box	0.4		
Reducing Fitting Brass		AutoSnap Reducing 3/4"	FGP-SRST750-500	3/4"-1/2" NPT	16/box	0.5		
		AutoSnap Reducing 1"	FGP-SRST1000-750	1"-3/4" NPT	16/box	0.8		
		AutoSnap Female Straight 3/8"	FGP-SFSTF-375	3/8"-1/2" NPT	24/box	0.25		
Female Straight Fitting Brass		AutoSnap Female Straight 1/2"	FGP-SFSTF-500	1/2"	24/box	0.29		
		AutoSnap Female Straight 3/4"	FGP-SFSTF-750	3/4"	16/box	0.43		
		AutoSnap Female Straight 1"	FGP-SFSTF-1000	1"	16/box	0.78		
		AutoSnap Coupling 3/8"	FGP-SCPLG-375	3/8"	24/box	0.3		
Coupling Brass		AutoSnap Coupling 1/2"	FGP-SCPLG-500	1/2"	24/box	0.5		
		AutoSnap Coupling 3/4"	FGP-SCPLG-750	3/4"	16/box	0.7		
		AutoSnap Coupling 1"	FGP-SCPLG-1000	1"	16/box	0.9		
		AutoSnap Coupling 1 1/4"	FGP-SCPLG-1250	1 1/4"	6/box	2.0		
		AutoSnap Coupling 1 1/2"	FGP-SCPLG-1500	1 1/2"	4/box	3.3		
Wallbox with Valve		AutoSnap Coupling 2"	FGP-SCPLG-2000	2"	4/box	5.5		
		AutoSnap Metal Wallbox w/valve 1/2"	FGP-SWBTM-500	1/2"	24/box	2.3		
		AutoSnap Metal Wallbox w/valve 3/4"	FGP-SWBTM-750	3/4"	24/box	2.8		
		AutoSnap Flange Fitting 3/8"	FGP-SRFG-375	3/8"	12/box	0.3		
		AutoSnap Flange Fitting 1/2"	FGP-SRFG-500	1/2"	12/box	0.5		
Flange Fitting Brass and Stainless Steel Plate		AutoSnap Flange Fitting 3/4"	FGP-SRFG-750	3/4"	8/box	0.7		
		AutoSnap Flange Fitting 1"	FGP-SRFG-1000	1"	8/box	0.9		
		AutoSnap Flange Fitting 1 1/4"	FGP-SRFG-1250	1 1/4"	4/box	2.0		

AutoSnap® Tee Fittings






		<i>TracPipeCounterStrike By NPT</i>				
Tee Fitting Brass		<i>AutoSnap</i> Tee - Male 3/4"	FGP-ST500-750	1/2"-3/4" male	12/box	0.9
		<i>AutoSnap</i> Tee - Female 1/2"	FGP-ST500-500	1/2" Female	14/box	0.8
		<i>AutoSnap</i> Tee - Female 1/2"	FGP-ST750-500	3/4"-1/2" Female	10/box	1.1
		<i>AutoSnap</i> Tee - Female 3/4"	FGP-ST750-750	3/4" Female	10/box	1
		<i>AutoSnap</i> Tee - Female 1"	FGP-ST1000-1000	1" Female	6/box	2
		<i>TracPipeCounterStrike / All Outlets</i>				
Tee Fitting Brass		<i>AutoSnap</i> Tee - All outlets 1/2"	FGP-STF500-T500	1/2" X 1/2"	14/box	0.9
		<i>AutoSnap</i> Tee - All outlets 3/4"	FGP-STF750-T750	3/4" X 3/4"	12/box	1.1
		<i>AutoSnap</i> Tee - All outlets 1"	FGP-STF1000-T1000	1" X 1"	6/box	2.2
Reducer Tee Fitting Brass		<i>AutoSnap</i> Tee Reducer	FGP-SRT-501	1/2" X 3/8" X 3/8"	14/box	0.8
		<i>AutoSnap</i> Tee Reducer	FGP-SRT-751	3/4" X 1/2" X 3/8"	12/box	1
		<i>AutoSnap</i> Tee Reducer	FGP-SRT-752	3/4" X 1/2" X 1/2"	12/box	1
		<i>AutoSnap</i> Tee Reducer	FGP-SRT-1001	1" X 3/4" X 1/2"	6/box	2
		<i>AutoSnap</i> Tee Reducer	FGP-SRT-1002	1" X 3/4" X 3/4"	6/box	2
		<i>AutoSnap</i> Tee Reducer	FGP-STF750-T500	3/4" X 3/4" X 1/2"	12/box	1.1
		<i>AutoSnap</i> Tee Reducer	FGP-STF1000-T750	1" X 1" X 3/4"	6/box	2.1
		<i>AutoSnap</i> Tee Reducer	FGP-STF1000-T500	1" X 1" X 1/2"	6/box	2.1

AutoFlare® Fittings and Accessories





Self-Flaring Fitting

AutoFlare® is the self-piloting fitting that attaches TracPipe®CounterStrike® to traditional gas fittings and appliances. No special tools or additional parts required.




AutoFlare® Fittings and Accessories

		Description	Part Number	Size	Pkg. Qty	Lb.
Straight Mechanical Fitting Brass		<i>AutoFlare</i> Straight 3/8"	FGP-FST-375N	3/8"(3/8"NPT)	24/box	.3
		<i>AutoFlare</i> Straight 3/8"	FGP-FST-375	3/8"(1/2"NPT)	24/box	.4
		<i>AutoFlare</i> Straight 1/2"	FGP-FST-500	1/2"	24/box	.4
		<i>AutoFlare</i> Reducing 1/2"	FGP-RST500-750	1/2"-3/4"NPT	24/box	.4
		<i>AutoFlare</i> Straight 3/4"	FGP-FST-750	3/4"	16/box	.5
Reducing Fitting Brass		<i>AutoFlare</i> Reducing 3/4"	FGP-RST750-500	3/4"-1/2"NPT	16/box	.5
		<i>AutoFlare</i> Straight 1"	FGP-FST-1000	1"	16/box	.7
		<i>AutoFlare</i> Reducing 1"	FGP-RST1000-750	1"-3/4"NPT	16/box	.7
Fitting Sizes 1/4", 1/2" and 2" are sold individually		<i>AutoFlare</i> Straight 1/4"	FGP-FST-1250	1/4"	6/box	1.5
		<i>AutoFlare</i> Straight 1/2"	FGP-FST-1500	1/2"	4/box	2.1
		<i>AutoFlare</i> Straight 2"	FGP-FST-2000	2"	4/box	3.5
Split Rings Brass		Spare Split Rings	FGP-RING-375	3/8"	10/pack	.06
		Spare Split Rings	FGP-RING-500	1/2"	10/pack	.06
		Spare Split Rings	FGP-RING-750	3/4"	10/pack	.06
		Spare Split Rings	FGP-RING-1000	1"	10/pack	.06
		Spare Split Rings	FGP-RING-1250	1 1/4"	4/pack	.06
		Spare Split Rings	FGP-RING-1500	1 1/2"	4/pack	.2
		Spare Split Rings	FGP-RING-2000	2"	4/pack	.3
		<i>AutoFlare</i> Female Straight 3/8"	FGP-FSTF-375	3/8"-1/2"NPT	24/box	.25
Female Straight Fitting Brass		<i>AutoFlare</i> Female Straight 1/2"	FGP-FSTF-500	1/2"	24/box	.33
		<i>AutoFlare</i> Female Straight 3/4"	FGP-FSTF-750	3/4"	16/box	.49
		<i>AutoFlare</i> Female Straight 1"	FGP-FSTF-1000	1"	16/box	.61

AutoFlare® Fittings *continued*

Coupling Insert Brass		Coupling 3/8"	FGP-CPLG-375	3/8"	24/box	.3
		Coupling 1/2"	FGP-CPLG-500	1/2"	24/box	.5
		Coupling 3/4"	FGP-CPLG-750	3/4"	16/box	.7
		Coupling 1"	FGP-CPLG-1000	1"	16/box	.9
		Coupling 1 1/4"	FGP-CPLG-1250	1 1/4"	6/box	2.0
		Coupling 1 1/2"	FGP-CPLG-1500	1 1/2"	4/box	3.3
		Coupling 2"	FGP-CPLG-2000	2"	4/box	5.5
Flange Mount Fittings Brass		AutoFlare Flange Fitting 3/8"	FGP-BFF-375	3/8"	12/box	.7
		AutoFlare Flange Fitting 1/2"	FGP-BFF-500	1/2"	12/box	.7
		AutoFlare Flange Fitting 3/4"	FGP-BFF-750	3/4"	8/box	1.3
		AutoFlare Flange Fitting 1"	FGP-BFF-1000	1"	8/box	1.5
		AutoFlare Flange Fitting 1 1/4"	FGP-BFF-1250	1 1/4"	4/box	2.6
Flange Mount Fittings Brass		AutoFlare Flange L Bracket	FGP-TERM-BRAC	All	1 each	.3
		90° Flange Fitting 3/8"	FGP-ELLB-375	3/8"	8/box	1.1
		90° Flange Fitting 1/2"	FGP-ELLB-500	1/2"	8/box	1.0
		90° Flange Valve 3/8"	FGP-BF90V-375	3/8"	6/box	1.2
		90° Flange Valve 1/2"	FGP-BF90V-500	1/2"	6/box	1.2
		90° Flange Valve 3/4"	FGP-BF90V-750	3/4"	6/box	1.7
		Termination Mount Brass and Stainless Steel		Termination Mount 3/8"	FGP-TM-375	3/8"
Termination Mount 1/2"	FGP-TM-500			1/2"	12/box	1
Termination Mount 3/4"	FGP-TM-750			3/4"	8/box	1.1
Termination Mount 3/4" x 1/2"	FGP-TM-750-500			3/4" x 1/2"	12/box	1.1
Termination Mount 1"	FGP-TM-1000			1"	8/box	1.3
90° Termination Mount 3/8"	FGP-90TM-375			3/8"	8/box	1.2
90° Termination Mount 1/2"	FGP-90TM-500			1/2"	8/box	1.2
90° Termination Valve 3/8"	FGP-TM90V-375			3/8"	12/box	1.3
90° Termination Valve 1/2"	FGP-TM90V-500			1/2"	12/box	1.3
90° Termination Valve 3/4"	FGP-TM90V-750	3/4"	12/box	1.7		

AutoFlare® Tee Fittings

AutoFlare® Tee Fittings						
	Description	Part Number	Size	Pkg. Qty	Lb.	
Tee Fitting Brass		CounterStrike by NPT				
		Tee - Male 3/4"	FGP-T500-750	1/2-3/4" male	12/box	1
		Tee - Female 1/2"	FGP-T500-500	1/2" Female	14/box	1
		Tee - Female 1/2"	FGP-T750-500	3/4-1/2" Female	12/box	1.6
		Tee - Female 3/4"	FGP-T750-750	3/4" Female	12/box	1.6
Tee Fitting Brass		Tee - Female 1"	FGP-T1000-1000	1" Female	10/box	2.2
		CounterStrike / All Outlets				
		Tee - All Outlets 1/2"	FGP-TF500-T500	1/2 x 1/2"	14/box	1
		Tee - All Outlets 3/4"	FGP-TF750-T750	3/4 x 3/4"	12/box	1.6
		Tee - All Outlets 1"	FGP-TF1000T1000	1 x 1"	10/box	2.2
Reducer Tee Fitting Brass		Tee-Reducer	FGP-RT-501	1/2" x 3/8" x 3/8"	14/box	0.9
		Tee-Reducer	FGP-RT-751	3/4" x 1/2" x 3/8"	12/box	1.1
		Tee-Reducer	FGP-RT-752	3/4" x 1/2" x 1/2"	12/box	1.1
		Tee-Reducer	FGP-RT-1001	1" x 3/4" x 1/2"	10/box	1.8
		Tee-Reducer	FGP-RT-1002	1" x 3/4" x 3/4"	10/box	1.8
		Tee-Reducer	FGP-TF750-T500	3/4" x 3/4" x 1/2"	12/box	1.6
		Tee-Reducer	FGP-TF1000-T750	1" x 1" x 3/4"	10/box	2.1
		Tee-Reducer	FGP-TF1000-T500	1" x 1" x 1/2"	10/box	2.2
		Tee-Reducer	FGP-TF1250-T1000	1 1/4" x 1 1/4" x 1"	1 each	2.7

AutoFlare® Tee Fittings continued

Commercial Sized
Reducer Tees
Brass



Description	Part Number	Size	Pkg. Qty	Lb.
Tee-Reducer	FGP-TF1250-T750	1 1/4" x 1/4" x 3/4"	1 each	2.6
Tee-Reducer	FGP-TF1250-T500	1 1/4" x 1/4" x 1/2"	1 each	2.6
Tee-Reducer	FGP-RT-1251	1 1/4" x 1" x 1"	1 each	2.2
Tee-Reducer	FGP-RT-1252	1 1/4" x 1" x 3/4"	1 each	2.2
Tee-Reducer	FGP-RT-1253	1 1/4" x 1" x 1/2"	1 each	2.1
Tee-Reducer	FGP-TF1500-T1250	1 1/2" x 1 1/2" x 1 1/4"	1 each	4.4
Tee-Reducer	FGP-TF1500-T1000	1 1/2" x 1 1/2" x 1"	1 each	4.1
Tee-Reducer	FGP-TF1500-T750	1 1/2" x 1 1/2" x 3/4"	1 each	4.1
Tee-Reducer	FGP-TF1500-T500	1 1/2" x 1 1/2" x 1/2"	1 each	4.0
Tee-Reducer	FGP-RT-1501	1 1/2" x 1 1/4" x 1 1/4"	1 each	3.7
Tee-Reducer	FGP-RT-1502	1 1/2" x 1 1/4" x 1"	1 each	3.6
Tee-Reducer	FGP-RT-1503	1 1/2" x 1 1/4" x 3/4"	1 each	3.6
Tee-Reducer	FGP-RT-1504	1 1/2" x 1 1/4" x 1/2"	1 each	3.5
Tee-Reducer	FGP-TF2000-T1500	2" x 2" x 1 1/2"	1 each	7.4
Tee-Reducer	FGP-TF2000-T1250	2" x 2" x 1 1/4"	1 each	7.2
Tee-Reducer	FGP-TF2000-T1000	2" x 2" x 1"	1 each	7.0
Tee-Reducer	FGP-TF2000-T750	2" x 2" x 3/4"	1 each	7.0
Tee-Reducer	FGP-TF2000-T500	2" x 2" x 1/2"	1 each	7.0
Tee-Reducer	FGP-RT-2001	2" x 1 1/2" x 1 1/2"	1 each	6.5
Tee-Reducer	FGP-RT-2002	2" x 1 1/2" x 1 1/4"	1 each	6.3
Tee-Reducer	FGP-RT-2003	2" x 1 1/2" x 1"	1 each	6.1
Tee-Reducer	FGP-RT-2004	2" x 1 1/2" x 3/4"	1 each	6.1
Tee-Reducer	FGP-RT-2005	2" x 1 1/2" x 1/2"	1 each	6.1

AutoFlare® Fittings and Accessories

Brackets and Stub-outs



Meter Termination

Meter Termination Bracket



Wallbox with Valve

Note: Wallbox measures
7" x 7" x 3"

Description	Part Number	Size	Pkg. Qty	Lb.
Key Valve Bracket	FGP-KVB-375	3/8"	18/box	.50
Key Valve Bracket	FGP-KVB-500	1/2"	18/box	.54
Key Valve Bracket - Reducing	FGP-KVB750-500	3/4" x 1/2"	18/box	.77
1" x 6" Meter Term Stub-out	FGP-1X6 MT	1" x 6"	20/box	1.36
1" x 12" Meter Term Stub-out	FGP-1X12 MT	1" x 12"	15/box	1.36
Meter Stud Bracket	FGP-STUD-BRAC	all	8/box	2.1
Appliance Stub-out	FGP-ASP-500	1/2" x 2"	25/box	.72
Fireplace Stub-out	FGP-FPT-500	1/2"	25/box	.72
1/2" x 90° Stub Out	FGP-ASP90S-500	1/2" x 5" x 5"	25/box	1
3/4" x 90° Stub Out	FGP-ASP90S-750	3/4" x 5" x 5"	15/pack	1.3
6" Meter Termination 1/2"	FGP-MT6-500	1/2" x 6"	1 each	1.8
6" Meter Termination 3/4"	FGP-MT6-750	3/4"	1 each	1.8
6" Meter Termination 1"	FGP-MT6-1000	1"	1 each	1.8
9" Meter Termination 1"	FGP-MT9-1000	1"	1 each	2.6
12" Meter Termination 1/2"	FGP-MT12-500	1/2"	1 each	2.6
12" Meter Termination 3/4"	FGP-MT12-750	3/4"	1 each	2.6
12" Meter Termination 1"	FGP-MT12-1000	1"	1 each	2.6
Meter Termination Bracket	FGP-MT-BRAC	1"	1 each	.8
AutoFlare Metal Wallbox w/Valve	FGP-WBTM-375	3/8"	24/box	2.3
AutoFlare Metal Wallbox w/Valve	FGP-WBTM-500	1/2"	24/box	2.3
AutoFlare Metal Wallbox w/Valve	FGP-WBTM-750	3/4"	24/box	2.8

CounterStrike® Accessories

Multi-port Manifolds
Coated Malleable Iron

Stackable Manifolds
Coated Malleable Iron

Manifold Bracket
Galvanized Steel

Gas Load Center
Painted Steel

Gas Load Center w/Manifold Bracket
For use with FGP-MI-PC only

Bonding Clamp
Brass



Coated Manifold
4 ports 1/2" female



2 ports 1/2" female
1/2" female to 1/2" male



Manifold Bracket
For use with FGP-MI-PC only



2 ports 1/2" female
3/4" female to 3/4" male



4 ports 3/4" female
inlets 1/4" and 1" female



Large Manifolds
4 ports 1" female



Stackable Manifold
Bracket



Description	Part Number	Size	Pkg. Qty	Lb.
Coated Manifold	FGP-MI-PC	3/4" x 1/2" x 1/2"(4)	1 each	1.9
Manifold Bracket	FGP-MB2	----	1 each	1.3
Stackable Manifold	FGP-MI-ST-500	1/2"F - M X 1/2"(2)	1 each	1.4
Stackable Manifold	FGP-MI-ST-750	3/4"F - M X 1/2"(2)	1 each	1.4
Stackable Manifold Bracket	FGP-MB-ST	fits MI-ST	1 each	.4
Load Center w/Bracket	FGP-LC	----	1 each	11.3
Large Coated Manifold	FGP-MI-PC-1X	1 1/4" x 1" x 3/4"(4)	1 each	5.5
Large Coated Manifold	FGP-MI-PC-2X	2" x 1 1/2" x 1"(4)	1 each	13.0
Bonding Clamp	FGP-GC-1	3/8", 1/2" (TP/CS)	1/2", 3/4", 1" (Iron pipe)	1 each
Bonding Clamp	FGP-GC-2	3/4", 1", 1 1/4" (TP/CS)	1 1/4", 1 1/2", 2" (Iron pipe)	1 each
Bonding Clamp	FGP-GC-3	1 1/2", 2" (TP/CS)	2 1/2" - 4" (Iron pipe)	1 each

Note: Omegaflex stocks regulators from various listed manufacturers. There will be a 15% charge added to regulator orders requesting shipment of a specific brand of regulator.

Description	Part Number	Capacity MBTU/h**	Size	Pkg. Qty	Lb.	
Pressure Regulators Cast Cast Housing Suitable for Outdoor Use	Regulator 2 PSI (8" w.c.)	FGP-REG-3	250	1/2"	1 each	.8
	Regulator 2 PSI (11" w.c.)	FGP-REG-3P	368 LP	1/2"	1 each	.8
	Regulator 2 PSI (8" w.c.)	FGP-REG-5A	550	3/4"	1 each	1.9
	Regulator 2 PSI (11" w.c.)	FGP-REG-5P	836 LP	3/4"	1 each	1.9
	Regulator 2 PSI (8" w.c.)	FGP-REG-7L	1059	1"	1 each	1.6
Over Pressure Protection Device	Regulator 5 PSI* w/OPD	FGP-REG-3L47	125	1/2"	1 each	1.1
	Regulator 5 PSI* w/OPD	FGP-REG-3L48	200	1/2"	1 each	1.2
	Regulator 5 PSI* w/OPD	FGP-REG-5AL48	320	3/4"	1 each	2.3
	Regulator 5 PSI* w/OPD	FGP-REG-5AL600	425	3/4"	1 each	3.4
ID Tag	Regulator 5 PSI* w/OPD)	FGP-REG-5AL601	465	1"	1 each	3.4
	Over Pressure Protection Device	FGP-OPD-274	---	1/2"	1 each	.6
Gas Label	Rain Cap for REG-3	FGP-CAP-3	---	1/2"	1 each	.1
	High Pressure Tags	FGP-TAG-20	---	All	20/pkg	.3
	Installation Tags	FGP-ITAG-50	---	All	50/pkg	.35
	Gas Label	FGP-GAS LABEL	---	All	500/Roll	.25


Note: All regulators include an approved vent limiter.

*Regulators 3L48, 3L47, 5AL48, 5AL600, 5AL601 have MAX 5 PSI Inlet Pressure which includes an OPD for pressures above 2 PSI when used as a line Pressure Regulator. (Over-pressurization device included and attached to these units).

**Capacity is total load as line pressure regulator. (Capacity decreases for single appliance load. Contact factory.)

CounterStrike® Accessories and Tools


CounterStrike® Accessories and Tools						
		Description	Part Number	Size	Pkg. Qty	Lb.
Shut Off Valves Quick Disconnect Brass Housing with Stainless Steel Ball		Ball Valve 5psi 1/2"	FGP-WBV-500	1/2"	1 each	.5
		Ball Valve 5psi 3/4"	FGP-WBV-750	3/4"	1 each	.8
		Sturgis Quick Disconnect	FGP-QDS	1/2"	1 each	.9
Note: Special tools not required.						
Tube Cutters	 	Cutter No. 15	FGP-TC-15	3/8"-1"	1 each	1.1
		Cutter No. 151	FGP-TC-151	3/8" – 1 1/4"	1 each	.9
		Cutter No. 152	FGP-TC-152	1 1/4" – 2"	1 each	1.9
		Cutter wheel	FGP-E-5272	1 1/4" – 2"	1 each	.1
Note: To cut 1 1/4" to 2" size CounterStrike® use a cutting wheel 5272 or equal.						
Striker Plate Carbon Steel Hardened	   	Quarter Striker Plate	FGP-SP-025	3" x 2"	250/box	.08
		Half Striker Plate	FGP-SP-050	3" x 7"	100/box	.4
		Three Quarter Striker Plate	FGP-SP-075	3" x 9"	100/box	.4
		Full Striker	FGP-SP-100	3" x 12"	50/box	.42
		6 1/2" X 17 Striker Plate	FGP-SP-617	6 1/2" X 17"	1 each	1.8
Floppy Strip Wound Conduit Type RW Galvanized Steel		Floppy-fits 3/8" Cut 1 ft.	FGP-FPY-375CT	3/4"	50 box	11
		Floppy-fits 1/2" Cut 1 ft.	FGP-FPY-500CT	1"	50 box	15
		Floppy-fits 3/4" Cut 1 ft.	FGP-FPY-750CT	1 1/4"	25 box	17.5
		Floppy-fits 1" Cut 1 ft.	FGP-FPY-1000CT	1 1/2"	25 box	24
		Floppy-fits 3/8"	FGP-FPY-375-50	3/4"	50 ft/coil	9
		Floppy-fits 1/2"	FGP-FPY-500-50	1"	50 ft/coil	13
		Floppy-fits 3/4"	FGP-FPY-750-25	1 1/4"	25 ft/coil	15.5
		Floppy-fits 1"	FGP-FPY-1000-25	1 1/2"	25 ft/coil	22
		Floppy-fits 1 1/4"	FGP-FPY-1250-25	2"	25 ft/coil	28.5
		Floppy-fits 1 1/2"	FGP-FPY-1500-25	2 1/2"	25 ft/coil	46
Silicone Tape Silicone Rubber	 	Floppy-fits 2"	FGP-FPY-2000-25	3"	25 ft/coil	51
		Tape-Black	FGP-915-10H-12BL	1" x 12yd	Roll 12 yd	.3
Leak Check		Non-Corrosive leak check solution	FGP-LCS	1 Quart	12/case	2.3



TracPipe® PS-II Underground Gas Piping

TracPipe® PS-II Underground Gas Piping PATENTED - Improved

Now available! **TracPipe PS-II** is a pre-sleeved gas installation system for underground, rooftop, or exterior wall applications that is more cost-effective and easier to install vs. our original **TracPipe PS** system.



Description	Part Number	Size	Reel Length	Lb./ Reel
TracPipe PS-II 3/8"	FGP-UGP-375-250	3/8"	250 ft./reel	57.5
TracPipe PS-II 1/2"	FGP-UGP-500-250	1/2"	250 ft./reel	82.5
TracPipe PS-II 1/2"	FGP-UGP-500-100	1/2"	100 ft./reel	33
TracPipe PS-II 3/4"	FGP-UGP-750-250	3/4"	250 ft./reel	107.5
TracPipe PS-II 3/4"	FGP-UGP-750-100	3/4"	100 ft./reel	43
TracPipe PS-II 1"	FGP-UGP-100-250	1"	250 ft./reel	142.5
TracPipe PS-II 1"	FGP-UGP-100-100	1"	100 ft./reel	57
TracPipe PS-II 1 1/4"	FGP-UGP-125-150	1 1/4"	150 ft./reel	137
TracPipe PS-II 1 1/2"	FGP-UGP-150-150	1 1/2"	150 ft./reel	150.5
TracPipe PS-II 2"	FGP-UGP-200-150	2"	150 ft./reel	220

Male Adapters

Description	Part Number	Size	Pkg. Qty.	Lb.
TracPipe PS-II Male Adapter	FGP-UGF-375	3/8" NPT Male	25/box	.45
TracPipe PS-II Male Adapter	FGP-UGF-500	1/2" NPT Male	20/box	.50
TracPipe PS-II Male Adapter	FGP-UGF-750	3/4" NPT Male	16/box	.65
TracPipe PS-II Male Adapter	FGP-UGF-1000	1" NPT Male	9/box	.90
TracPipe PS-II Male Adapter	FGP-UGF-1250	1 1/4" NPT Male	9/box	1.60
TracPipe PS-II Male Adapter	FGP-UGF-1500	1 1/2" NPT Male	9/box	2.65
TracPipe PS-II Male Adapter	FGP-UGF-2000	2" NPT Male	5/box	4.30


Couplings

TracPipe PS-II Coupling	FGP-UGC-375	3/8" T/P Coupling	25/box	.65
TracPipe PS-II Coupling	FGP-UGC-500	1/2" T/P Coupling	20/box	.70
TracPipe PS-II Coupling	FGP-UGC-750	3/4" T/P Coupling	16/box	1.05
TracPipe PS-II Coupling	FGP-UGC-1000	1" T/P Coupling	9/box	1.40
TracPipe PS-II Coupling	FGP-UGC-1250	1 1/4" T/P Coupling	9/box	2.50
TracPipe PS-II Coupling	FGP-UGC-1500	1 1/2" T/P Coupling	8/box	4.25
TracPipe PS-II Coupling	FGP-UGC-2000	2" T/P Coupling	5/box	6.90

Male Adapter



Coupling



AutoSnap[®]
Snap-on Fitting for TracPipeCounterStrike

TracPipe PS-II
Underground Gas Piping by OmegaFlex[®]

PATENTED

TracPipe CounterStrike[®]
Flexible Gas Piping by OmegaFlex.

PATENTED

OMEGA FLEX, INC. LIMITED WARRANTY

Omega Flex, Inc. (The "Manufacturer") warrants to the original owner at the original installation site that the TracPipe[®]CounterStrike[®] flexible gas piping system (the "Product") will be free from defects in material or workmanship for one year from the date of installation. If upon examination by the Manufacturer the Product is shown to have a defect in material or workmanship during the warranty period, the Manufacturer will repair or replace, at its option, that part of the Product which is shown to be defective.

THIS LIMITED WARRANTY DOES NOT APPLY:

- (a) if the Product has been subjected to misuse or neglect, has been accidentally or intentionally damaged, has not been installed, maintained or operated in accordance with the *TracPipe[®]CounterStrike[®] Design and Installation Guide*, or has been altered or modified in any way.
- (b) to any expenses, including labor or material, incurred during investigation, removal or reinstallation of the defective Product or parts thereof.
- (c) to any damage or impairment of the Product caused by any casualty, including without limitation fire, wind, floods, or acts of God.
- (e) to any workmanship of the installer of the Product.

THIS LIMITED WARRANTY IS CONDITIONAL UPON:

- (a) shipment, to the Manufacturer, of that part of the Product thought to be defective. Goods can only be returned with prior written approval from the Manufacturer. All returns must be freight prepaid.
- (b) determination, in the reasonable opinion of the Manufacturer, that there exists a defect in material or workmanship.

Repair or replacement of any part under this Limited Warranty shall not extend the duration of the warranty with respect to such repaired or replaced part beyond the stated warranty period.

TRACPIPE[®]COUNTERSTRIKE[®] FLEXIBLE GAS PIPING SYSTEM

THIS LIMITED WARRANTY IS IN LIEU OF ALL OTHER WARRANTIES, EITHER EXPRESS OR IMPLIED, AND ALL SUCH OTHER WARRANTIES, INCLUDING WITHOUT LIMITATION IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE HEREBY DISCLAIMED AND EXCLUDED FROM THIS LIMITED WARRANTY.

IN NO EVENT SHALL THE MANUFACTURER BE LIABLE IN ANY WAY FOR ANY CONSEQUENTIAL, SPECIAL, OR INCIDENTAL DAMAGES OF ANY NATURE WHATSOEVER, OR FOR ANY AMOUNTS IN EXCESS OF THE SELLING PRICE OF THE PRODUCT OR ANY PARTS THEREOF FOUND TO BE DEFECTIVE. THIS LIMITED WARRANTY GIVES THE ORIGINAL OWNER OF THE PRODUCT SPECIFIC LEGAL RIGHTS. YOU MAY ALSO HAVE OTHER RIGHTS WHICH MAY VARY BY EACH JURISDICTION.

OmegaFlex[®]

Omega Flex, Inc.

451 Creamery Way • Exton, PA 19341-2509

1-800-671-8622 • www.omegaflex.com

ISO 9001 Registered Company

FGP 745 01/17



FOR PRODUCT LISTING



FOR FIRE RESISTANCE

